

Call or click  
to order now!

**863-251-5111**



## Cold Pressure Washer Trailer – 150 gallon 3800 PSI at 3.5 GPM Power

Powerful and mobile, the 150 gallon Cold Pressure Washer meets DOT requirements and can go wherever the job takes you. The Honda engine and CAT pump provides reliable performance you can count on, with 3800 PSI at 3.5 gpm. Set-up couldn't be easier. Just tow to the location, connect the spray gun, start the engine, and you're ready.

Pressure washer trailers are also available with other engines, pumps, and tank sizes. Additionally we carry several styles of hot pressure washer trailers. Ask us about options!

*\*Freight is included in the price for continental US destinations.  
International shipping is priced separately.*

# Features and Benefits



## Benefits

- 3800 PSI at 3.5 GPM
- Easy to maneuver and set up
- Engine has low oil shutdown feature
- Hose is abrasion resistant with polyurethane outer jacket and quick connect fittings

## Features

- HONDA® GX270
- CAT® triplex plunger pump
- Steel-braided monster hose 3/8" x 50'
- 5 quick connect nozzle tips

*We are here to serve you. Just call or email with your project specifications and details, and we'll do the rest. Our goal is to provide the best solution for your project, with materials delivered on time at a price that fits nicely within your budget.*

# Specifications



## HONDA® GX270 OHV ENGINE

High performance with low engine shut down future



## CAT® TRIPLEX PLUNGER PUMP

Integrated unloader for easy pump maintenance



## PNEUMATIC TIRES

12" 6 ply Premium tires for ease of maneuverability across various terrain

### Specifications

Part #	95001
Power Type	Gasoline
Drive Type	Direct
PSI	3800
GPM	3.5
Pump Type	CAT® triplex plunger pump
Engine	HONDA® GX270 (49-state compliant)
Hose	Steel-braided Monster Hose 3/8 in. x 50 ft.
Gun	M22 connection
Wand	QC spray lance
Nozzles	5 Quick connect nozzle tips: 0°, 15°, 25°, 40° and soap
Frame	9 ft. (4 ft. x 5.5 ft. Platform)
Axel	2,000 lbs
Tires	12" Premium 6-ply
Series	Mobile Trailers
Warranty	3 Year limited commercial engine warranty 2 year limited commercial pump warranty 1 year frame commercial warranty 90 Day limited accessory warranty CETA Certified

### Our Websites:

[www.collapsiblepillowtank.com](http://www.collapsiblepillowtank.com)  
[www.erosioncontrol-products.com](http://www.erosioncontrol-products.com)

[www.firesuppressiontank.com](http://www.firesuppressiontank.com)  
[www.plastic-watertanks.com](http://www.plastic-watertanks.com)

[www.water-storage-containers.com](http://www.water-storage-containers.com)  
[www.water-storage-tank.com](http://www.water-storage-tank.com)