


Call or click
to order now!

863-251-5111



Professional Mobile Pressure Washer - 150 gallon 4200 PSI at 4.0 GPM Power, Electric Start

This commercial pressure washing system is built to handle the rigors of heavy use, with the flexibility needed to get the job done. Whether for municipalities, resorts, contract cleaners or mobile detailers, this DOT pressure washer trailer can go wherever the job demands. Equipped with a 49-state compliant Honda® GX390 engine, electric start, and a CAT Pumps® triplex pump, you'll have 4200 PSI (at 4.0 gpm) at your fingertips. CETA certified and built with quality components, you can count on reliable performance for many years to come.

Pressure washer trailers are also available with other engines, pumps, and tank sizes. Additionally we carry several styles of hot pressure washer trailers. Ask us about options!

**Freight is included in the price for continental US destinations.
International shipping is priced separately.*

Features and Benefits



Benefits

- 4200 PSI at 4.0 GPM
- Easy to maneuver and set up
- Engine has low oil shutdown feature
- Hose is abrasion resistant with polyurethane outer jacket and quick connect fittings
- DOT Trailer for use on public roadways

Features

- Honda® GX390 engine
- CAT® triplex plunger pump
- Steel-braided monster hose 3/8" x 50'
- 5 quick connect nozzle tips
- 6.4 quart fuel tank
- Include electric start

We are here to serve you. Just call or email with your project specifications and details, and we'll do the rest. Our goal is to provide the best solution for your project, with materials delivered on time at a price that fits nicely within your budget.

Specifications



HONDA® GX390 ENGINE

High performance with low engine shut down future



CAT® TRIPLEX PLUNGER PUMP

Integrated unloader for easy pump maintenance



PNEUMATIC TIRES

12" 6 ply Premium tires for ease of maneuverability across various terrain

Specifications

Part #	95003
Power Type	Gasoline
Drive Type	Direct
PSI	4200
GPM	4
Pump	CAT® triplex plunger pump
Engine	HONDA® GX390 E-Start (49-state compliant)
Hose	Steel-braided Monster Hose 3/8 in. x 50 ft.
Gun	M22 connection
Wand	QC spray lance
Nozzles	5 Quick connect nozzle tips: 0°, 15°, 25°, 40° and soap
Frame	9 ft. (4 ft. x 5.5 ft. Platform)
Tires	12" Premium 6-ply
Series	Mobile Trailers
Warranty	3 Year limited commercial engine warranty 2 year limited commercial pump warranty 1 year frame commercial warranty 90 Day limited accessory warranty CETA Certified

Our Websites:

www.collapsiblepillowtank.com
www.erosioncontrol-products.com

www.firesuppressiontank.com
www.plastic-watertanks.com

www.water-storage-containers.com
www.water-storage-tank.com